



iviceversa
Soluciones
Gráficas

OMEGA	322
DELTA	324
GAMMA	326
EPSILON	328
FREE STANDING	330
ACRYLIC POCKET	331
LIGHT BOX	332



EN Communication and information system through steel cable and tensors. Ideal for being used on showcases, walls, travel agencies, real estate, banks, etc. Different finishes available.

FR Système de communication et d'information avec câble d'acier. Idéal pour une utilisation en vitrine, agence de voyages, agence immobilière, etc. Différentes finitions.

PT Sistema para comunicação de informação utilizando cabo de aço e tensores. Ideal para paredes, agências de viagem, imobiliárias, exposições, entre outros. Diferentes acabamentos.

ES Sistema de comunicación e información mediante cable de acero y tensores. Ideal para el uso en escaparates, paredes, agencias de viaje, inmobiliarias, etc. En diferentes acabados.



OMEGA

channel connector or ceiling fixing

- optional 2mm acrylic pockets (available next) -

CEILING KIT



TOP FIXING FOR CEILING



BOTTOM FIXING FOR CEILING




INFORMATION


Every Ceiling kit contains a 3m length wire cable + 1 top fixing + 1 bottom fixing. Ideal for storefronts, travel agencies or banks.

* 12.547 x2 

INFORMATION


Metallic top unit for ceiling fixation with silver finish.



* 12.544 x10 

Metallic unit for bottom fixation. With silver finish.



* 12.545 x10 

CHANNEL KIT



TOP FIXING WITH CHANNEL CONNECTOR



BOTTOM FIXING WITH CHANNEL CONNECTOR



INFORMATION


Every Channel kit contains a 3m length wire cable + 1 top fixing + 1 bottom fixing. Ideal for storefronts, travel agencies or banks.

* 12.546 x2 

INFORMATION


Metallic top fixing with channel connector. With silver finish.



* 12.542 x10 

Metallic bottom fixing with channel connector.



* 12.543 x10 

SINGLE PANEL CLIP


For wires:
Ø1.5 - Ø3mm



INFORMATION

*mm

This metallic single panel clip is suitable for wires up to Ø1.5mm - Ø3mm. Silver finish.



*12.540

x10 

DOUBLE PANEL CLIP


For wires:
Ø1.5 - Ø3mm



INFORMATION

*mm

This double metallic single panel clip is suitable for wires up to Ø1.5mm - Ø3mm. With silver finish.



*12.541

x10 

ALUMINIUM TRACK




TRACK ENDCAP

gray plastic finish



LOAD



500 g



INFORMATION

Aluminium track with 2 lengths available (2m or 3m)


*12.127 Length: 2000mm

*12.128 Length: 3000mm

INFORMATION

*mm

Connect it to aluminium track. Made of grey plastic.



*12.428

x10 

INFORMATION

*mm

Ø40 Aluminium load of 500g weight for wires.



*12.117

Ø 40x170mm





WALL MOUNTING CLIP FOR CEILING/WALL

DELTA



attractive and highly functional suspension system

WALL MOUNTING CLIP FOR CEILING/FLOOR



ideal to create an incredibly strong, yet elegant and flexible display system

 adjust for tension




chromed finish

INFORMATION

*mm

This movable and stylish Top Support is suitable for ceiling or wall. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. Ideal for storefronts, travel agencies or banks.




*12.316

x4 

INFORMATION

*mm

Elegant and fixed support for ceiling or floor. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. Ideal for real states, storefronts, travel agencies or banks.



*12.317

x4 

VERTICAL PANEL CLIP

for wires: Ø1.5 - Ø3mm



DOUBLE PANEL CLIP


for wires: Ø1.5 - Ø3mm



INFORMATION

*mm

Chromed vertical fixing Clips suitable for a single panel. Convenient for wire with a diameter of Ø1.5mm or Ø3mm.




*12.318

x10 

INFORMATION

*mm

Chromed vertical fixing Clips suitable for 2 panels. Convenient for wire with a diameter of Ø1.5mm or Ø3mm.



*12.319

x10 



WIRE CABLE Ø 1mm



Ø 1mm

INFORMATION

*mm

Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

❁ 12.121 Ø 1mmx25m

WIRE CABLE Ø 1.5mm



Ø 1.5mm

INFORMATION

*mm

Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

❁ 12.315 Ø 1.5mmx25m

WIRE CABLE Ø 3mm



Ø 3mm

INFORMATION

*mm

Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

❁ 12.311 Ø 3mmx25m



WALL MOUNTING
TOP CLIP

GAMMA



designed to
create stylish
interior displays

- optional 2mm
acrylic pockets
(available next) -



WALL MOUNTING
BOTTOM CLIP



for wires:
Ø1.5 - Ø3mm


adjust for
tension 



INFORMATION

*mm

This movable and stylish support is suitable for ceiling or wall. Convenient for cable wire up to Ø1.5 - Ø3mm. With silver finish. Ideal for real states, for storefronts, travel agencies or banks.




* 12.312

x4 

INFORMATION

*mm

This movable and stylish support is suitable for bottom or floor placement. Convenient for cable wire up to Ø1.5 - Ø3mm. With silver finish. Ideal for real states, for storefronts, travel agencies or banks, creating advertisement mosaics.



* 12.313

x4 

VERTICAL PANEL CLIP




For wires:
Ø1.5 - Ø3mm



INFORMATION

*mm

This silver Vertical fixing Clip is suitable for holding a single panel. Convenient for cable wire with a diameter of Ø1.5mm or Ø3mm.



✳ 12.314

x10 



Magnetic Light Boxes
are available at this chapter

EPSILON



attractive and highly functional suspension system

WALL MOUNTING TOP CLIP

WALL MOUNTING BOTTOM CLIP



For wires:
Ø1.5 - Ø3mm


adjust for tension



INFORMATION

*mm

This movable and stylish Support is suitable for ceiling or wall. Convenient for cable wire up to Ø1.5 - Ø3mm. With chrome finish. Ideal for real states, for storefronts, travel agencies or banks.




*12.320

x4 

INFORMATION

*mm

This movable and stylish Support is suitable for bottom/floor or wall. Convenient for cable wire up to Ø1.5 - Ø3mm. With chrome finish. Ideal for real states, travel agencies or banks.



*12.321

x4 

VERTICAL PANEL CLIP




chromed finish

INFORMATION

*mm


This Vertical fixing Clip is suitable for holding panels up to 6mm thick. Convenient for cable wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish.



* 12.318

x10 

DOUBLE PANEL CLIP




For wires:
Ø1.5 - Ø3mm

INFORMATION

*mm

This Double Clip is suitable for holding adjacent panels up to 6mm thick. Convenient for cable wire with diameter of Ø1.5mm or Ø3mm. Chrome finish.



* 12.319

x10 



FREE STANDING | Free Standing

EN Cable support system for aluminum frame with feet and levelers. The system consists of racks, clamps, pliers and wire 1.5 mm in diameter. Acrylic Folders not included.

FR Système de câble sur support coulissant en aluminium, avec pieds réglables. Composer de coulisses, tenseurs, pinces et câble de 1.5mm de diamètre. Portes affiches acryliques non incluses.

PT Sistema de cabos sob suporte bastidor de alumínio com base niveladora. O sistema é composto por bastidores, tensores, pinças e cabo de 1.5mm de diâmetro. Pastas em acrílico não incluídas.

ES Sistema de cables sobre soporte bastidor de aluminio con patas y niveladores. El sistema se compone de bastidores, tensores, pinzas y cable de 1.5mm de diámetro. Carpetas de acrílico no incluidas.



FREE STANDING 900x2120mm

acrylic pockets
are not included




INFORMATION

*mm

Free Standing Includes:

- Framework: 1
- Top tensioner: 4
- Bottom tensioner: 4
- Single panel clip: 24
- Double panel clip: 24
- Cable Ø 1.5mm: 8.8m.




*12.354 Size: 900x2120mm

FREE STANDING 1200x2120mm

INFORMATION

*mm



Free Standing Includes:

- Framework: 1
- Top tensioner: 5
- Bottom tensioner: 5
- Single panel clip: 24
- Double panel clip: 36
- Cable Ø 1.5mm: 10.6m.




*12.355 Size: 1200x2120mm

FREE STANDING 1500x2120mm

INFORMATION

*mm



Free Standing Includes:

- Framework: 1
- Top tensioner: 6
- Bottom tensioner: 6
- Single panel clip: 24
- Double panel clip: 48
- Cable Ø 1.5mm: 12.72m.




*12.356 Size: 1500x2120mm

ACRYLIC POCKET | Acrylic Pocket

EN Transparent acrylic Pocket Folder for landscape or portrait position. A4 and A3 sizes.
FR Portes affiches en acrylique transparentes horizontales ou verticales. Format A3 ou A4.

PT Pasta em acrílico transparente horizontal ou vertical em tamanho A4 e A3.
ES Carpeta de metacrilato transparente horizontal o vertical en tamaño A4 y A3.

2mm acrylic




ACRYLIC POCKET



INFORMATION


*mm

These transparent Pocket folders are made of 2mm acrylic thickness. 2 sizes are available (A3 and A4). It features an easy and simple graphic change. Also, portrait and landscape orientation of both sizes are available. These holder pockets can be used in a wide range of ways so users can create their own display based on their needs.



STANDARD SIZES

* 12.125	A4 Horizontal	x10		
* 12.351	A3 Horizontal	x10		
* 12.126	A4 Vertical	x10		
* 12.352	A3 Vertical	x10		



LIGHT BOX | Light Box

EN LED Light boxes are suitable for any Cable Kit system (using a maximum cable of Ø 1.5mm). A4 and A3 sizes available. Magnetic sealed. Ideal for being used on showcases, walls, travel agencies, real estates, banks, etc.

FR Porte affiche en acrylique. Lumineux, format A4 ou A3. Fixation pour câble de Ø 1.5 mm. Idéal pour vitrines, agences de voyages, agences immobilières...

PT Marco Led para cable kit (válido para qualquer sistemas utilizando um máximo de cabo de Ø 1.5 mm). Disponível em A4 e A3. Fecho magnético. Ideal para montras, agencias de viagem, imobiliárias, bancos, etc.

ES Marcos LED para Cable Kit (disponibles en A4, A3 y válidos para cualquier sistema empleando un máximo de cable de Ø1.5mm). Sellado de gráfica magnético. Ideal para escaparates, agencias de viajes, inmobiliarias, bancos, etc.



LIGHT BOX FOR CABLE KIT






it uses 12V safe power and ultra bright LED lights

INFORMATION

This Light Box System for CableKit uses 12V safe power and ultra bright LED lights. These light boxes can be used with any of the CableKit systems seen earlier in this chapter. Compatible with 1.5mm diameter cable, these holder boxes can be used in a wide range of ways so users can create their own display based on their needs. This light holding system is available in 2 formats (A4 and A3). Light Boxes are ideal for being used on showcases, art exhibitions, storefronts, restaurants, hotels, banks, travel agencies, etc...


The Kit Power Supply and its Power Connector are supplied separately (see below). Also, the LED light boxes feature a magnetic sealed design which makes it easy and fast to change the graphics or signages.



Light Box A4	QTY	N.W	G.W	C.B.M	SIZE
Packing	2	2.1kg	2.5kg	0.121	410x330x90mm
	Graphic size		External size		
 12.550	Double Sided A4	363x276x8mm	x2		
Light Box A3	QTY	N.W	G.W	C.B.M	SIZE
Packing	2	3.5kg	4kg	0.02	550x410x90mm
	Graphic size		External size		
 12.551	Double Sided A3	486x363x8mm	x2		



CABLE DISTANCE ARTWORK *mm



Light Box	SIZE	E (EXTERNAL)	C (CABLE DISTANCE)	BRIGHTNESS	VOLTAGE	POWER
12.550	A4	276x363mm	240x327mm	≥ 1500LUX	12V	4.8W
12.551	A3	363x486mm	327x450mm	≥ 1500LUX	12V	9.6W



each piece comes with cable holders on the corner

KIT POWER SUPPLY FOR MAGNETIC LIGHT BOX



12V safe power

POWER CONNECTOR FOR MAGNETIC LIGHT BOX

chromed finish



❁ 12.552 12V 2A

❁ 12.553 x4 

DIN SIZES | DINA Formats

A0	841x1189mm
A1	594x841mm
A2	420x594mm
A3	297x420mm

A4	210x297mm
A5	148x210mm
A6	105x148mm
A7	74x105mm

A8	52x74mm
A9	37x52mm
A10	26x37mm





iviceversa
Soluciones
Gráficas

Soluciones
Gráficas

Avd. de Elda, 72 · 03610 · Petrer (Alicante)
info@iviceversa.com · 670 37 70 13 · www.iviceversa.com

